Revision: 18.01.2023



Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation),

EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 18.01.2023

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TUB O FLO HOT

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Drainpipe Opener

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GR. SARANTIS S.A.

26, Amaroussiou - Halandriou Str.,

151 25 Maroussi, Athens

Tel: +30 210 6173000 - Fax: +30 210 6197100

e-mail: info@sarantis.gr

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS05

Signal word: Danger

Hazard-determining components of labelling:

sodium hydroxide

Hazard statements:

H290 May be corrosive to metals.

(Contd. on page 2)



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

(Contd. of page 1)

H314 Causes severe skin burns and eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P234 Keep only in original packaging.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container according to local/national/international regulations.

Classification system:

The classification of the product is according the European Chemicals Agency index, but it is also based to additional scientific bibliography and company data.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3:	Composi	tion/informat	tion on ingred	ients
-------------------	---------	---------------	----------------	-------

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

ingredicits according regulation (De) 2020/070.				
CAS: 1310-73-2	sodium hydroxide	≥60-<70%		
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314			
Index number: 011-002-00-6	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 %			
Reg.nr.: 01-2119457892-27-XXXX	Skin Corr. 1B; H314: 2 % ≤ C			
	< 5 %			
	Skin Irrit. 2; H315: 0.5 % ≤ C			
	< 2 %			
	Eye Irrit. 2; H319: $0.5 \% \le C <$			
	2 %			
CAS: 497-19-8	sodium carbonate	≥25-<30%		
EINECS: 207-838-8	(1) Eye Irrit. 2, H319			
Index number: 011-005-00-2	v v ,			
Reg.nr.: 01-2119485498-19-XXXX				
CAS: 8042-47-5	White mineral oil, petroleum	≥1.5<1.8%		
EINECS: 232-455-8	♦ Asp. Tox. 1, H304			
Reg.nr.: 01-2119487078-27-XXXX	V 1, 2200 .			
1				

Additional information: For the wording of the listed hazard phrases refer to section 16.

-EN



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Wash contaminated clothing before use.

Remove contaminated clothing.

If skin irritation continues, consult a doctor.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: No fire hazard

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Ensure adequate ventilation.

Avoid contact with spilled material.

Goggles and/ or face shield, if contact with eyes or splashes are anticipated.

Avoid contact with skin and eyes.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

(Contd. on page 4)



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

(Contd. of page 3)

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Open and handle receptacle with care.

Prevent formation of dust.

Prevent formation of aerosols.

Avoid contact with skin, eyes and clothing.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Store under lock and key and with access restricted to technical experts or their assistants only.

Store under lock and key and out of the reach of children.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 1310-73-2 sodium hydroxide

WEL (Great Britain) Short-term value: 2 mg/m³

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

Hand protection





Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Tightly sealed goggles (EN 166).

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Colourless
Odour:
Characteristic
Odour threshold:
Not determined
Melting point/freezing point:
Not determined

Boiling point or initial boiling point and boiling

range Not determined Flammability Not determined

Lower and upper explosion limit

Lower:Not determinedUpper:Not determinedFlash point:Not applicableDecomposition temperature:Not determined

pH 12-13

Viscosity:

Kinematic viscosity Not applicable

(Contd. on page 6)



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

(Contd. of page 5)

Dynamic: Not applicable

Solubility

water: Easily soluble.

Partition coefficient n-octanol/water (log value) Not determined
Vapour pressure: Not applicable

Density and/or relative density

Density:Not determinedRelative densityNot determinedVapour densityNot applicableParticle characteristicsSee item 3.

9.2 Other information

Appearance:

Form: Granular

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Cloud point / clarification point:

Oxidising properties Not oxidising
Evaporation rate Not applicable

Information with regard to physical hazard classes

Explosives Void Void Flammable gases Aerosols Void Void Oxidising gases Gases under pressure Void Flammable liquids Void Flammable solids Void **Self-reactive substances and mixtures** Void **Pyrophoric liquids** Void **Pyrophoric solids** Void **Self-heating substances and mixtures** Void

Substances and mixtures, which emit flammable

gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoid

Corrosive to metals

May be corrosive to metals.

Desensitised explosives Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

(Contd. of page 6)

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 1310-73-2 sodium hydroxide

Oral LD50 2,000 mg/kg (rat)

CAS: 497-19-8 sodium carbonate

Oral LD50 4,090 mg/kg (rat)

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid doen in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of detergent manufacturer.

- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

-EN



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

(Contd. of page 7)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

European waste catalogue

HP8 Corrosive

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA UN3262

14.2 UN proper shipping name

ADR 3262 CORROSIVE SOLID, BASIC, INORGANIC,

N.O.S. mixture

IMDG CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

mixture

IATA Corrosive solid, basic, inorganic, n.o.s. mixture

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class 8 Corrosive substances.

Label 8

14.4 Packing group

ADR, IMDG, IATA

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for userWarning: Corrosive substances.

Hazard identification number (Kemler code): 80
EMS Number: F-A,S-B
Segregation groups Alkalis
Stowage Category B

Segregation Code SG35 Stow "separated from" SGG1-acids

(Contd. on page 9)



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

(Contd. of page 8)

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Transport/Additional information:

ADR

Excepted quantities (EQ):

Limited quantities (LQ)

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

Transport category 2
Tunnel restriction code E

IMDG

Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2

> Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

UN "Model Regulation": UN 3262 CORROSIVE SOLID, BASIC, INORGANIC,

N.O.S. MIXTURE, 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 10)



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

(Contd. of page 9)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Classification according to Regulation (EC) No 1272/2008		
Corrosive to metals	Bridging principles	
Skin corrosion/irritation Serious eye damage/irritation	Calculation method	

Department issuing SDS:



SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

Contact:

GR. SARANTIS S.A.

26, Amaroussiou - Halandriou Str.,

151 25 Maroussi, Athens

Tel: +30 210 6173000 - Fax: +30 210 6197100

e-mail: info@sarantis.gr

Version number of previous version: 3

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 11)



Printing date 18.01.2023 Version number 4 (replaces version 3) Revision: 18.01.2023

Trade name: TUB O FLO HOT

(Contd. of page 10)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

EN-

^{*} Data compared to the previous version altered.